

THE BRAND FOR WATER



Our new design line
Created
for the **Future**

BLAGKILAVE

BLACKLANE

Dressed in **BLACK**

Our SYR products are genuine masterpieces. Now their inner values are reflected in their outward appearance. Premium, intelligent functionality deserves an equally refined and elegant design – the BLACKLANE product range is the new face of the SYR brand.

The new design enables intuitive and comfortable operation of our products. The BLACKLANE series has also been developed with a clear focus on reducing material usage, creating recyclable products and promoting energy-efficient solutions.

At SYR, we are proud of our new BLACKLANE series, which combines aesthetics, functionality and ergonomics with technical and economic aspects. It already complies the current EU Drinking Water Directive requirements.

The BLACKLANE design is a decisive and visible expression of the innovative strength and product quality of Hans Sasserath GmbH & Co. KG, further enhancing the SYR brand's perception.

Connection revolution **SYRLock flange**

The innovative system connection of the new Lock products in the areas of filtration, leak protection, and water treatment offers tool-free and secure installation.



We have also applied the SYRLock system to the sandwich flange of our softening units – of course on both sides. This allows the new NeoSoft Lock Connect single and double units to be flanged onto the SYRLock already installed in the pipeline, while providing a front-facing connection point for an additional fitting from the SYRLock system.

The SYRLock is available in DN 20, DN 25, DN 32, and as SYRLock max in DN 40 and DN 50. The high-quality SYRLock flange is unique on the market, thanks to its simple, time- and cost-saving installation.

All about the SYRLock
and the twist of the click.
Scan the code to watch the video.



Technology for the highest standards

DRUFI Lock drinking water filter

We've made our proven DRUFI water filtration system future-ready: all DRUFI Lock filters in the new BLACKLANE design feature the fast SYRLock connection. In the backwash filters, the new **power impeller** technology impresses, using a high-frequency twist to ensure thorough cleanliness. The DFR and FR models are also available as DRUFI max.

DRUFI Lock DFR

Semi-automatic backwash filter with pressure reducer, pressure gauge, and SYRLock connection.



DRUFI Lock FR

Semi-automatic backwash filter with pressure gauge and SYRLock connection.



DRUFI Lock DFF

Cartridge filter with pressure reducer, pressure gauge, and SYRLock connection.



DRUFI Lock FF

Cartridge filter with pressure gauge and SYRLock connection.



BLACKLANE



The leak protection/filter combination

TRIO Lock Connect

We develop products that help save water and ensure its quality: TRIO Lock Connect is an innovative combination of internet-enabled leak protection, backwash filter and pressure reducer. The three-in-one fitting is mounted on the SYRLock flange or on the SYRLock sandwich connection fitting of the new NeoSoft Lock Connect water softeners.



TRIO Lock Connect
*leakage protection/
backwash filter/
pressure reducer combination
with SYRLock connection.*

*Perfectly compatible with
NeoSoft Lock Connect
water softeners.*

BLACKLANE



State-of-the-Art water softeners

NeoSoft Lock Connect

Efficient water softening using the proven ion exchange process – NeoSoft Lock Connect BLACKLANE water softeners meet the highest standards of function and design. The systems are pre-assembled and ready to connect, and the appropriate operating mode is selected automatically. With one-hose system, SYRlock sandwich connection fitting and SYR app control.

BLACKLANE



NeoSoft Lock Connect I
Single water softening system
for one to three residential units.
With SYRlock connection.



NeoSoft Lock Connect II
Double water softener for up to eight
residential units. With SYRlock connection.



NeoSoft Lock Connect III
Triple water softener for up to 35 residential
units. With SYRlock connection.



Heating protection and management

The BLACKLANE Connection Centers

Our BLACKLANE connection center range for safe, convenient and standard-compliant heating protection. Can be connected to the SYR cartridge system for filling heating systems with treated heating water. The range is complemented by the Filling Combi BA, which can be combined with the BASIS model AC 3200, but can also function as a stand-alone solution.



BLACKLANE

AC All-in-One 3228 Connect

The Wi-Fi-enabled COMFORT model with Filling Combi BA and digital inlet and outlet pressure display. Controllable via SYR app.



BLACKLANE

AC All-in-One 3228 Connect

The Wi-Fi-enabled COMFORT model with Filling Combi BA and digital inlet and outlet pressure display. Controllable via SYR app.



AC All-in-One 3228

The SPACE-SAVING model with Filling Combi BA and digital inlet and outlet pressure display.



AC 3200 Connect

The Wi-Fi-enabled BASIC model, controllable via the SYR app. A Filling Combi BA (circle) must be connected upstream.

AC 3200

The BASIS model – a Filling Combi BA (circle) must be connected upstream.

All connection centers are compatible with the SYR cartridge system for softening (HWE), full demineralisation (HVE) and full demineralisation with pH stabilisation (HVE Plus) in sizes 2.5, 4, 7 and 14 litres..

Complements the BLACKLANE range: the Filling Combi CA



Intelligent flexibility

SYRlock flex in the SYRlock System

The SYRlock flex is a flange combination that provides a universal connection for domestic installations. Impressive flexibility meets system expertise. The SYRlock flex offers a central inlet and organises the supply lines.


SYRlock flex. Kiss the future.

Compact. Drinking water connection in the smallest of spaces.

Intelligent. Integration into the smart SYR CONNECT system.

Fast. Click installation system with connection options for the NeoSoft Lock Connect soft water systems, the Lock Security Centre, the TRIO Lock Connect with automatic backwash, the Garden Automat Lock Connect with settings for volume, temperature and leakage monitoring, and for the AC All-in-One Lock Connect for heating water management. All overflows are directed into the 6-way funnel siphon.

Safe. DIN-compliant installation and tested safety.



SYRlock flex

The flange combination can serve five supply lines that deliver both softened and non-softened water.